



REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

30118

FITS: MERCUISER, O.M.C.

Threaded stud in case
Standard solenoid
12 Volt, CW Rotation



★ **NEW H/D REPLACEMENT AVAILABLE!**
CW Rotation: Order #30460

SW975

Replacement solenoid

30124

HEAVY-DUTY

**FITS: MERCUISER,
O.M.C. COBRA,
YAMAHA, VOLVO PENTA**
w/metric solenoid
12 Volt, CW Rotation



★ **NEW H/D REPLACEMENT AVAILABLE!**
CW Rotation: Order #30460

SW984

Replacement solenoid

30119

HEAVY-DUTY

**FITS: MERCUISER, O.M.C.,
VOLVO PENTA, ETC.**
w/standard solenoid
12 Volt, CW Rotation



★ **NEW H/D REPLACEMENT AVAILABLE!**
CW Rotation: Order #30460

SW975

Replacement solenoid

30140

HEAVY-DUTY

**FITS: MERCUISER,
COBRA, YAMAHA,
VOLVO PENTA**
V6, V8 w/metric solenoid,
12 Volt, CW Rotation



★ **NEW H/D REPLACEMENT AVAILABLE!**
CW Rotation: Order #30470 &
MBK450 Mounting Bolt Kit

30141

12 Volt, CCW Rotation

To be discontinued when present stock is exhausted.

SW984

Replacement solenoid

30120

HEAVY-DUTY

**FITS MERCUISER, O.M.C.,
VOLVO PENTA, ETC.**
w/metric solenoid
12 Volt, CW Rotation



★ **NEW H/D REPLACEMENT AVAILABLE!**
CW Rotation: Order #30456
CCW Rotation: Order #30457

30123

12 Volt, CCW rotation

SW984

Replacement solenoid



**CATCH US ON THE WEB AT:
www.arcomarine.com**



© **ARCO STARTING & CHARGING SPECIALISTS**

Toll Free 800-722-2720 • Phone 850-455-5476 • Fax 850-453-2630 • www.arcomarine.com

REPLACEMENT INBOARD STARTERS



ARCO TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

30433 (NEW)

VALUE PRICED! STANDARD DUTY
Direct OEM replacement gear reduction starter.
FITS: ALL GM ENGINES with 14" flywheel using a staggered bolt pattern.
Recommended for late model 3.0 Liter with 14" flywheel using tail bracket.



REPLACES ARCO 30450

Can also be used in place of ARCO 30140* or 30470!
*Mounting bolt kit MBK450 required if replacing 30140.

SW463 Replacement Solenoid

30456 (NEW)

HIGH-PERFORMANCE
FITS: MERCUISER, CRUSADER, MARINE POWER, PLEASURECRAFT, AND OTHERS.
14MT, CW Rotation

Will also replace ARCO 30120



30457 (NEW)

HIGH-PERFORMANCE
FITS: MERCUISER, CRUSADER, MARINE POWER, PLEASURECRAFT, AND OTHERS.
14MT, CCW Rotation

Will also replace ARCO 30123

DV456

CW Rotation Replacement Drive
Fits: Delco 14 MT, ARCO 30456 starter




DV457

CCW Rotation Replacement Drive
Replaces: Mercury 850402
Fits: Delco 14 MT, ARCO 30457 starter



SW456

14 MT Replacement Solenoid
4 Post, 3-Bolt Mount



30459 (NEW)

HIGH-PERFORMANCE
FITS: MERCUISER, CRUSADER, MARINE POWER, AND OTHERS.
Light weight and compact; permanent magnet gear reduction.
CCW Rotation




SW463 Replacement Solenoid

30460 (NEW)

HIGH-PERFORMANCE
Permanent magnet gear reduction starter
FITS: MERCUISER, COBRA, YAMAHA, VOLVO PENTA
CW Rotation
12^{3/4}" flywheel



Includes Mounting Bolts & Gasket



30460 Will Replace All CW Rotating 10MT Starters with One Long And One Short Bolt Straight Across Pattern.

DV460

Replacement 9 tooth drive gear fits ARCO 30460 only!



SW450

Replacement solenoid For ARCO 30460, & 30470 only! Does not include plunger; see below. Order plungers separately.



PA450S

1^{3/4}" Plunger for ARCO SW450



PA450L

2^{1/4}" Plunger for ARCO SW450





REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

30462 (NEW)

FITS: 6.0L GM ENGINES

Permanent magnet gear reduction starter with two long bolt slight offset bolt pattern



SW463 Replacement Solenoid

30470 (NEW)

HIGH-PERFORMANCE

Permanent magnet gear reduction starter

FITS: VOLVO PENTA, MERCUISER, MARINE POWER, ETC.

2 long bolt staggered pattern

14" flywheel, CW Rotation

Will also replace 9-tooth OEM version.




DOES NOT include mounting bolt kit - See below. Will Also replace ARCO 30140.

MBK450

MOUNTING BOLT KIT REQUIRED

if replacing 10MT style starters.



DV450

Replacement 11-tooth drive gear



SW450

Replacement solenoid

For ARCO 30460, & 30470 only!

Does not include plunger; see below.

Order plungers separately.



PA450S

1 3/4" Plunger for ARCO SW450



PA450L

2 1/4" Plunger for ARCO SW450



50109

HEAVY-DUTY

FITS: CHRYSLER

318 Marine V8

2 bolt mount,

1 threaded hole

12 Volt, CW rotation



50110

12 Volt, CCW Rotation

50134

HEAVY-DUTY

FITS: CHRIS CRAFT, HARMAN MARINE

3 bolt mount (two 3/8" holes, one 5/16" threaded hole)

12 Volt, CW Rotation



50135

12 Volt, CCW rotation

50137

HEAVY-DUTY

FITS: CHRIS CRAFT AND OTHERS

3 bolt mount, (two 3/8" holes, one 5/16" threaded hole)

12 Volt, CW Rotation



50138

12 Volt, CCW rotation



© ARCO STARTING & CHARGING SPECIALISTS

Toll Free 800-722-2720 • Phone 850-455-5476 • Fax 850-453-2630 • www.arcomarine.com

REPLACEMENT INBOARD STARTERS



TECH TIP

Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

50141

HEAVY-DUTY
12 Volt, CCW rotation



50142

HEAVY-DUTY
**FITS: CHRIS CRAFT,
VOLVO PENTA V8**
2 bolt mount
12 Volt, CW rotation



50143

HEAVY-DUTY
FITS: MERCUISER 470
Threaded mounting
stud in case
12 Volt, CW rotation

50144

12 Volt, CCW rotation

50160

HEAVY-DUTY
FITS: CHRIS CRAFT
3 bolt housing
12 Volt, CW rotation



50161

HEAVY-DUTY
FITS: CHRIS CRAFT
12 Volt, CCW rotation

50169

HEAVY-DUTY
FITS: MERCUISER
888, 302, 351 FORDS
2 bolt mount
12 Volt, CW rotation



70000

HEAVY-DUTY
Gear-reduction starter
FITS: MANY FORDS
Long life motor
w/heavy duty
ball bearings
(No bushings
to wear out).
Draws less current
than conventional
Ford starters
12 Volt, CW rotation



70100

FITS: MANY 302, 351 FORDS
Nose extends 2 3/8"
into flywheel
12 Volt, CW rotation
Side battery terminal



SW394

Replacement solenoid

**To be replaced with 70200 when
present stock is exhausted.**



REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

70106

FITS: CRUSADER AND OTHERS W/ FORD ENGINES

Nose extends 2" into flywheel

2 bolt mount

12 Volt, CW rotation

Side battery terminal



SW394

Replacement solenoid

To be discontinued when present stock is exhausted.

70112

FITS: COBRA, MERCURUISER 460

Mod I style

Threaded top hole in housing

12 Volt, CW rotation

Rear battery terminal



To be replaced with 70212 when present stock is exhausted.

70113

12 Volt, CCW rotation

SW394 Replacement solenoid

70108

FITS: 460 FORDS

Heavy Duty

12 Volt, CW rotation



70109

12 Volt, CCW rotation

To be discontinued when present stock is exhausted.

70116 (NEW)

FITS: MANY LATE MODEL

2.3 L FORDS, Mod III style

1989-1992 COBRA - 5.0-5.8 L

4" diameter case

3-BOLT MOUNT

12 Volt, CW rotation

Rear battery terminal



SW394

Replacement solenoid

To be replaced with 70216 when present stock is exhausted.

70110

FITS: 302, 351 FORDS

Mod 1- style

Nose extends 2 3/8" into flywheel

12 Volt, CW rotation

Rear battery terminal



SW394

Replacement solenoid

To be replaced with 70200 when present stock is exhausted.

70117

FITS: MANY LATE MODEL FORDS

Mod II style;

4 1/2" diameter case

Nose extends 2 3/8" into flywheel

2-bolt mount

12 Volt, CW rotation

Rear battery terminal



To be discontinued when present stock is exhausted.

SW394 Replacement solenoid



© ARCO STARTING & CHARGING SPECIALISTS

Toll Free 800-722-2720 · Phone 850-455-5476 · Fax 850-453-2630 · www.arcomarine.com

REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

70125 (NEW)

Permanent magnet
Gear-reduction starter
**FITS: MANY LATE MODEL
5.0L, 5.8L FORDS**
12 Volt, CW rotation



SW125

Replacement solenoid

70200 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 302, 351 FORDS
12 Volt, CW rotation
Kit includes wiring harness
to replace conventional starter.



Will also replace
ARCO 70100 & 70110

70201 (NEW)

**HIGH PERFORMANCE
CCW ROTATION**

Will also replace **ARCO 70101 & 70111**
which have been discontinued.

SW125 Replacement solenoid

70212 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 460 FORD ENGINES
Replaces: O.M.C. 988013
12 Volt, CW rotation
**Two-bolt mount with 3/8" x 18
threaded mounting ear.**
Kit includes wiring harness
to replace conventional starter.



Will also replace **ARCO 70112**

SW125 Replacement solenoid

70216 (NEW)

HIGH PERFORMANCE
Permanent magnet
Gear-reduction starter
FITS: 2.3L FORD ENGINES
Replaces: O.M.C. 988012
12 Volt, CW rotation
Three-bolt mount.
Kit includes wiring harness
to replace conventional starter.



Will also replace **ARCO 70116**

SW125 Replacement solenoid

90105 (NEW)

FITS: RENAULT & MERCUISER
70, 80, 90 series, Paris Rhone
3 bolt mount
12 Volt, CW rotation



90110 (NEW)

FITS: BUKH & RUGGERINI
DV8, RD80, 180,
181, RF140 series
Replaces: Paris
Rhone D9E50
2 bolt mount
12 Volt,
CCW rotation





REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

90120 (NEW)

FITS: PERKINS, RENAULT MARINE, VOLVO PENTA

Replaces: Paris Rhone D11E119T
3 bolt mount
12 Volt,
CW rotation



SW814

Replacement solenoid

97225 (NEW)

Gear-reduction starter

FITS: VOLVO PENTA TMD40, TMD41, KAD42 and others.

Replaces: Paris Rhone/Valeo D9R116, D9R144,
3 bolt mount, 12 Volt, CW rotation



SW225 Replacement solenoid

DV225 Replacement Drive gear

97307 (NEW)

Bosch Style Starter

Fits: MD42A, MD70B, TAMD60B, TAMD70C

Replaces: **VOLVO PENTA**

24 Volt - 9-Tooth Drive Gear

CW Rotation

To be discontinued when present stock is exhausted.

97308 (NEW)

Bosch Style Starter

Fits: TAMD120A, TAMD120B,

VOLVO PENTA

24 Volt - 11-Tooth Drive Gear

CW rotation



90125 (NEW)

24 Volt, CW rotation

FITS: PERKINS, RENAULT MARINE, VOLVO PENTA

Replaces: Paris Rhone D11E122T
3 bolt mount



98170

Lucas M45G starter

FITS: PERKINS 4-108VA

propulsion

13-tooth drive gear

12 volt, CW rotation



95949 (NEW)

FITS: RENAULT MARINE, VOLVO PENTA

Replaces: Paris Rhone D11E126, D11E156

3 bolt mount
12 Volt, CW rotation



98175

Mitsubishi gear reduction starter

FITS: WESTERBEKE

9-tooth drive gear

12 volt, CW rotation



© ARCO STARTING & CHARGING SPECIALISTS

Toll Free 800-722-2720 • Phone 850-455-5476 • Fax 850-453-2630 • www.arcomarine.com

REPLACEMENT INBOARD STARTERS



TECH TIP *Rust, Corrosion or Submersions are NOT COVERED BY WARRANTY*

ARCO treats every component with special rust and corrosion resistant coatings to prevent water damage. However, it is impossible to protect the unit from direct contact with water. Therefore, a failure directly caused by rust, corrosion or submersion is not covered by warranty.

98185 (NEW)

FITS: YANMAR
4JH, QM20,
2QM20, & 2T engines
Replaces: Hitachi S114-483,
S114-815



12202

**FITS: MANY MID SIZE
PERKINS DIESELS**
12-tooth drive gear
12 Volt, CW rotation



10113 (NEW)

Gear-reduction starter
FITS: VOLVO PENTA
4 cyl, 6 cyl gas
Aluminum pinion housing
w/2 threaded
mounting holes
Permanent magnet,
12 volt, CW rotation



12205

**FITS: CUMMINS
MARINE 6.9L,
PENINSULAR 6.2L,
379T, ETC.**
10-tooth drive gear
12 Volt, CW rotation



12100

**FITS: MANY SMALL
PERKINS DIESELS**
10-tooth gear
12 Volt, CW rotation



12101

10-tooth gear
12 Volt, CCW rotation

12206

12 Volt, CCW rotation

12213 (NEW)

**FITS: CUMMINS 6BT,
PENINSULAR,
6.2L DIESEL, ETC.**
10-tooth drive gear
12 Volt, CW rotation



12200

**FITS: MANY MID-SIZE
PERKINS DIESELS**
4 cyl
10-tooth drive gear
12 Volt, CW rotation



12201

12 Volt, CCW rotation

**LOOKING FOR SOMETHING SPECIAL?
GIVE US A CALL!**

**WE HAVE LIMITED STOCK OF NUMEROUS ITEMS
NO LONGER LISTED IN THE CATALOG.**